

## HAR24



"RIPLIGHT SYSTEM II®" FALL ARRESTER HARNESS WITH BELT - 4 ANCHORAGE POINTS

Ref. HAR24\_



### Product specifications

Harness with extensible "Riplight System II®" patented waves with positioning belt. 2 fall arrester anchorage points (back - front). 4 adjustable buckles. Positioning belt with thermoformed back closed with wide Velcro. 120° rotation. Large thermoformed back with sponge lining. 2 lateral anchorage points for work positioning.

Straps: Polyester.  
Belt: Sponge lining.

**COLOUR**  
Black-Orange

**SIZE**  
S/M/L, XL/XXL

Product Use - Risks



Fall



Agriculture / Green areas  
craftman



Construction / Civil engineering



Second work /



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Vertical movement on a permanent structure



Long vertical movement or movement

on inclined surface



Short vertical movement or movement on inclined surface (less than 3 m)



Vertical movement, confined space



Long horizontal movement on horizontal surface



Long horizontal movement on vertical structure



Short horizontal movement (less than 3

m)



Long movement with multi connection /disconnection



Movement on lifeline



Restraint



Work positioning

## Product's highlights & user's benefits



"Riplight System II®"



Fall indicator



2 accessory attachment holders incorporated into the belt



Rotation 120°

## Certifications and Standards



PPE DIRECTIVE EC 89/686

EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses  
150 kg: Additional special requirements



EN358 : 1999 Personal fall protection equipment for work positioning and prevention of falls from a height - Belts for work positioning and restraint and work positioning lanyards.  
150 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

| References | Bar code      | COLOUR       | SIZE   |  |  |
|------------|---------------|--------------|--------|---|---|
| HAR24GT    | 3295249182700 | Black-Orange | S/M/L  | 5   | -   |
| HAR24XX    | 3295249193683 | Black-Orange | XL/XXL | 5   | -   |